



Bobcat[®]

One Tough Animal.

COMPACT WHEEL LOADERS

L75, L85, L95

🌐 Europe



INTRODUCTION

ONE TOUGH ANIMAL



BOBCAT'S HISTORY

In 1958, Melroe Manufacturing Company introduced a compact front-end loader that evolved quickly into the M400, the world's first true skid steer loader. The company soon adopted what became the world-famous 'Bobcat' brand – and its success paved the way for the global compact equipment industry we know today.

IN EUROPE, FOR EUROPE

Compact wheel loaders are developed and manufactured at the same premises as other legendary Bobcat products.



BOBCAT TODAY

Bobcat loaders reshaped the agriculture and construction industries with a solution that is compact, maneuverable, productive and tough. Today, with the largest portfolio of loaders on the market, we continue the spirit of this pioneering product.



OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.

DESIGNED AROUND THE WAY YOU WORK

▶ POWERFUL YET EASY TO USE

With a stellar combination of high power, intuitive controls, operator comfort and ease of use, Bobcat's compact wheel loaders are perfect for a multitude of tasks, whatever your business.



Fully glazed doors for 360° visibility around the machine

ROPS/FOPS level II protection

LED work lights

Road package makes the machine street legal for easy transportation between job sites

5-inch LCD display

Large mirrors for maximum rear visibility

Bucket level indicator

Pressurized heated cab and air conditioning

LED road lights

Low front window corners for improved visibility

Automatic ride control provides lift arms dampening effect for best driving comfort

Rear-view camera

Industry-standard Quick-Tach™ or our proven Bob-Tach™ interface to take advantage of Bobcat attachments

Automatic parking brake

Handle even the most complex attachments thanks to Advanced Attachment Controls, 103 l/min High Flow and a wide selection of attachments.

P.13

2 steps for getting in and out of the cab comfortably and safely

Switch between work and travel modes thanks to the 2-speed feature (up to 40 km/h in travel mode)

A wide range of buckets for all loading applications

Several tire sizes to match your needs



▶ ROCK-SOLID PERFORMANCE

Powerful engine, wide attachment selection, and a comfortable cab. With Bobcat's compact wheel loaders, you complete every job efficiently.



▶ SMART AND INTUITIVE

Get started in seconds thanks to simple and intuitive controls. Even less experienced operators can get to work fast and with confidence.



▶ FIRST-CLASS COMFORT

Stay comfortable thanks to a luxurious seat and 2-way adjustable steering column, while enjoying great visibility with a fully glazed door.



▶ RELIABLE SUPPORT

Bobcat has your back with an extensive dealer network, a single service point for machine and engine, and remote monitoring.

PERFORMANCE



▶ OUTSTANDING PRODUCTIVITY

Equipped with a mighty engine and a powerful high flow option, Bobcat's compact wheel loader features high breakout forces paired with solid stability. Do more, get better results, and grow your business.

▶ TRULY MULTI-PURPOSE

Need to use more than the bucket for a specific job? Choose from a large selection of compatible Bobcat loader attachments and a powerful High Flow option for up to 103 liters/minute.



▶ ONE LESS THING TO WORRY ABOUT

For the first time, two handy features from the automotive industry are applied to loaders. With Automatic Parking Brake and Slope Assist, the parking brake is engaged and disengaged seamlessly, just when you expect it.

▶ FULLY IN CONTROL


Let the machine be an extension of your hands, thanks to an intelligent, ergonomic and intuitive control scheme. All functions – and numerous quality-of-life features – are at your fingertips.

STEP INSIDE



► SMOOTH RIDE

Our compact wheel loader is designed to ensure you stay comfortable day after day. The joystick console is firmly connected to the suspension heated seat – a unique solution on the market. This keeps the joystick stable in your hand and makes the ride easy and smooth, even on uneven terrain.



► AT YOUR FINGERTIPS



Everything, from joystick to the soft touch button console and the jog shuttle wheel, is designed for optimal ease of use and positioned close at hand.

► FULLY ERGONOMIC




Easily adjust the position of the steering wheel, joystick and seat to what suits you best. Make your loader fit you like a glove.

► 5-INCH DISPLAY



The jog shuttle-controlled LCD screen displays critical updates and automatically switches to the rear-view camera's feed when in reverse.



BUILT TOUGH

▶ LEGACY OF INNOVATION

You'll always find quality materials and sturdy design in your Bobcat machine. This is as true for the time-proven world's most popular skid-steer loader as it is for our new compact wheel loader. You can stake your reputation on the durability of our new equipment, built with the same reliable components as our other Bobcat machines.

▶ MADE TO KEEP YOU IN THE FIELD

We're continually improving the ease of servicing with features such as battery disconnect and automatic servicing reminders on the screen. Accessing servicing points and battery is easy, and integrated greasing points minimize servicing time. If you do need to visit the shop, one service point for both machine and engine puts you back to the field in no time.



MACHINE IQ

WIRELESS COMMUNICATIONS

▶ MACHINE IQ

BOBCAT® Machine IQ Wireless Communications enhances the support for your Bobcat machine.

- Durable built-in monitoring electronics
- Data is available to our machine monitoring specialist
- Maintenance is optimized for your business
- Data-driven services maximize uptime

▶ STANDARD WARRANTY

Bobcat Company develops every machine to the highest standards of quality and durability. That's why our standard warranty provides 24 months or 2 000 operating hours (whichever occurs first) of coverage.



THERE'S NO TIME FOR DOWNTIME. STAND UP TO THE HARSHTEST CONDITIONS. DAY AFTER DAY.



▶ PROTECTION PLUS EXTENDED WARRANTY

Enjoy total peace of mind with a Protection Plus® extended warranty. Providing the same level of protection as the standard warranty, Protection Plus also reflects different customer needs and expectations by offering a choice of durations and annual operating hours. According to your needs, you can benefit from the coverage for up to 5 years or 6 000 engine hours. And Protection Plus is transferrable, potentially boosting your machine's resale value.



▶ BOBCARE

A long-running machine starts with proper planned maintenance. Which helps protect against repair costs and unplanned failures when you're counting on your machine to work.

- Avoid risk by preventing major repairs and complete failures.
- Accomplish more by reducing downtime and increase your productivity and profitability.

CHOOSE YOUR ANIMAL

L75

▶ ALL THE ESSENTIALS FOR EVERYDAY JOBS

Equipped with a 55 hp engine, the L75 is a versatile and comfortable loader with a tipping load of 2 564 kg. A heated cab, suspension seat, and other essential features come as standard, while a range of options allows you to build the machine around your needs.



L95

▶ THE FULL PACKAGE FOR MAXIMUM COMFORT

The L95 comes with a 75 hp engine, bigger bucket, maximum travel speed of 40 km/h, deluxe heated air suspension seat, and many other features as standard. Together with excellent visibility and intuitive controls, the L95 represents the perfect machine – with everything you need to do more every day.



L85

▶ ENHANCED PRODUCTIVITY IN A COMFORTABLE PACKAGE

With a more powerful 68 hp engine, the L85 features an impressive tipping load of 3 151 kg. Advanced Attachment Controls, LED work lights and other performance features come as standard and ensure great comfort and outstanding productivity.



L75



PERFORMANCE
COMFORT
VALUE

L85



PERFORMANCE
COMFORT
VALUE

L95



PERFORMANCE
COMFORT
VALUE

STANDARD EQUIPMENT & OPTIONS

	L75	L85	L95
PERFORMANCE			
Advanced Attachment Controls	–	✓	✓
Automatic Ride Control	•	•	✓
High Flow	–	•	•
Standard Flow	✓	✓	✓
Power Bob-Tach™	–	•	•
Power Quick-Tach™	✓	✓	✓
ROAD			
Brakes German	•	•	•
Brakes standard	✓	✓	✓
Road package	•	•	•
Speed 20 km/h	✓	✓	–
Speed 30 km/h	•	•	–
Speed 40 km/h	–	–	✓
CAB			
12V charging port	✓	✓	✓
5-inch display with jog shuttle	✓	✓	✓
Cloth heated air ride seat w/LH armrest	•	•	✓
Cloth suspension seat	✓	✓	–
Fire extinguisher	•	•	•
Front window sun shade	–	✓	✓
Heater	✓	✓	✓
HVAC	•	•	•
Key ignition with password	✓	✓	✓
Radio FM/AM/DAB+/phone ready	•	•	•
Radio ready	•	✓	✓
Storage compartment under seat	✓	–	–
Lockable storage compartment under seat	–	✓	✓
USB charging port	–	✓	✓
WHEELS			
Wheels 365/70 R18	✓	•	–
Wheels 405/70 R18	•	✓	–
Wheels 405/70 R20	•	•	✓
LIGHTS & BEACON			
Beacon	•	•	•
Road lights halogen	✓	✓	–
Road lights LED	•	•	✓
Work lights halogen	✓	–	–
Work lights LED	•	✓	✓
MISCELLANEOUS			
Backup alarm	•	•	•
Bobcat telematics Europe	✓	✓	✓
Bucket level indicator	•	✓	✓
Rear-view camera	•	✓	✓
Wax coat treatment	✓	✓	✓

• = option ✓ = standard – = not available or not compatible

PERSONALIZE YOUR MACHINE

Sometimes, we all want to add a specific functionality or a personal touch to the machine. Choose from a list of comprehensive options and customize your compact wheel loader to your heart's content!



Beacon

Premium heated seat

Air conditioning (HVAC)



Rear-view camera

Road lights LED

Work lights LED



Speed 40 km/h

Automatic Ride Control

High Flow



Advanced attachment controls



MULTI-TOOL CARRIER

BOBCAT ATTACHMENTS

Master every job with our wide range of Bobcat attachments. You have the choice of using the industry-standard Quick-Tach™ or our proven Bob-Tach™ interface. No need to invest in a new set of attachments – simply connect your own with the quick and easy QT-BT adapter.

ATTACHMENTS	L75	L85	L95
Adapter from Quick-Tach™ to Bob-Tach™	•	•	•
Angle broom, Reversible	–	•	•
Soil and asphalt spreader	–	•	•
Bucket, General purpose	•	•	•
Bucket, Light material	•	•	•
Bucket, Combination	•	•	•
Mixing bucket	–	•	•
Pallet forks	•	•	•
Snow blade	•	•	•
Snow blower	–	–	•
Snow pusher	•	•	•
Snow V-blade	•	•	•

• = compatible – = not compatible



Angle broom



Snow blower



Pallet forks



General purpose bucket



Quick-Tach™ coupler (installed as standard)



Quick-Tach™ to Bob-Tach™ adapter (required for all attachments except buckets and pallet forks)

PRECISION OR SPEED? WE SAY BOTH.

CONTROLS TAILORED TO YOUR NEEDS

With traditional controls, you can have speed or precision, but not both. We've changed that. Our revolutionary selectable dual-control system allows you to work with just the right precision – or speed – whichever you need.

STANDARD CONTROLS FOR LOAD AND CARRY

You will immediately feel at home during loading and handling applications. The standard travel control mode makes operating a bucket or pallet fork feel familiar and intuitive.

What's more, switching from forward to reverse is now even more convenient than ever: the FNR switch, located on the front side of the joystick, stays close to your index finger the whole time.



ADVANCED ATTACHMENT CONTROLS

When using advanced attachments – like an angle broom or a snow blower – you can take advantage of Bobcat's unique Advanced Attachment Control mode. With the push of a button, the throttle control dial manages the attachment's speed. (This is separate from the machine's travel speed, which is regulated by the gas pedal and includes a useful speed limiter.) Additionally, thanks to a conveniently located auxiliary control panel, you can control up to 4 functions of the attachment.



Auxiliary control panel

Throttle control dial




SPECIFICATIONS

SPECIFICATIONS			
	L75	L85	L95
WEIGHTS			
Operating weight, standard (ISO 6016)	4 635 kg	5 091 kg	5 376 kg
Shipping weight, standard (ISO 6016)	4 218 kg	4 674 kg	4 896 kg
Max. static axle load	8 400 kg		9 000 kg
Max. dynamic axle load	6 000 kg (30 km/h)		5 500 kg (40 km/h)
ENGINE			
Model	Bobcat Engine D24 V2		
Compliance	Stage V		
Cooling	Liquid		
Fuel	Diesel		
Power at 2 600 RPM (ISO 14396)	55 hp / 41 kW	68 hp / 50.7 kW	74 hp / 55.2 kW
HYDRAULIC SYSTEM			
System relief @ quick couplers	20.5 MPa	20.5 MPa / 22.5 MPa	
Auxiliary standard flow	75.40 l/min		
Auxiliary high-flow	103.5 l/min		
PERFORMANCE WITH BUCKET			
Bucket capacity	0.8 m ³		
Bucket range	0.6 – 1.2 m ³		0.6 – 1.5 m ³
Tipping load, straight (ISO 14397-1) with Quick-Tach™	2 953 kg	3 801 kg	3 964 kg
Tipping load, straight (ISO 14397-1) with Bob-Tach™	2 784 kg	3 605 kg	3 611 kg
Tipping load, articulated at 40° (ISO 14397-1) with Quick-Tach™	2 564 kg	3 151 kg	3 339 kg
Tipping load, articulated at 40° (ISO 14397-1) with Bob-Tach™	2 394 kg	2 955 kg	3 025 kg
Rated operating capacity (ISO 14397-1) with Quick-Tach™	1 477 kg	1 901 kg	1 982 kg
Rated operating capacity (ISO 14397-1) with Bob-Tach™	1 392 kg	1 802 kg	1 806 kg
Lift breakout force (ISO 14397-2)	4 023 kg	4 978 kg	
Lift capacity (ISO 14397-2)	2 064 kg	2 312 kg	
PERFORMANCE WITH PALLET FORK			
Tipping load, straight (ISO 14397-1)	2 349 kg	2 910 kg	3 011 kg
Tipping load, articulated at 40° (ISO 14397-1)	1 985 kg	2 451 kg	2 528 kg
DRIVE SYSTEM			
Main drive	Proportionally regulated hydrostatic motor		
Transmission	Hydrostatic with electronic regulation		
CONTROLS			
Vehicle steering	Machine articulation via hydraulic steering with steering wheel		
Travel direction	Travel direction switch (F-N-R) on joystick. Drive pedal in work and travel mode		
Machine hydraulics	Dual axis joystick for lift and tilt and auxiliary		
Vehicle braking	Combination of integrated 6 wet brake discs in rear axle with hydrostatic braking effect provision		

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat units may show other than standard equipment.

SPECIFICATIONS


DIMENSIONS – BUCKET



DIMENSIONS – BUCKET			
	L75	L85	L95
A	2 473	2 497	2 522
B	402	427	452
C	2 100		
D	5 471	5 453	5 433
E	714	686	661
F	125	100	75
G	2 483	2 508	2 532
I	3 225	3 250	3 275
J	32.1°	33.4°	33.3°
K	4 280	3 830	4 280
L	2 001	1 986	
M	1 900		
N	1 410	1 393	
O	1 770	1 800	
P	40°		
Q	45°		

Unit: mm

DIMENSIONS – PALLET FORK



DIMENSIONS – PALLET FORK			
	L75	L85	L95
R	5 999	5 979	5 959
RR1	4 262 - 4 473		
S	844	796	750
T	1 306	1 278	1 252
V	1 349	1 374	1 399
W	3 075	3 100	3 125
WW3	774 - 1 314		
X	470	442	416

FINANCING OPTIONS

24, 36, OR 48 MONTH FINANCING*

Take advantage of 24, 36 or 48 month financing programs starting from **0% interest** and improve your cashflow.

Ask your dealer for the financing offers available.

340 MACHINES / 150 ATTACHMENT FAMILIES / 1 TOUGH ANIMAL



**SKID-STEER
LOADERS**




**COMPACT TRACK
LOADERS**




**COMPACT WHEEL
LOADERS**



FORKLIFTS



TELEHANDLERS



ROTARY TELEHANDLERS



**LIGHT COMPACTION
EQUIPMENT**



**COMPACT
EXCAVATORS**



**COMPACT
TRACTORS**



**SMALL ARTICULATED
LOADERS**



**MINI TRACK
LOADER**



MOWERS



**PORTABLE
POWER**



ATTACHMENTS

DOOSAN

Bobcat is a Doosan Company. Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. | Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries. ©2023 Bobcat Company. All Rights Reserved.



Bobcat®

*Financing options may vary by country and dealer. Always ask your dealer about currently available financing options. Terms and conditions may apply.

Doosan Bobcat EMEA, U Kodelky 1810, 263 12 Dobříš, Czech Republic